

Department	Case code	Case description
Freezer	B6602/08/12	Wiz glass std

### Physical Properties:

Available Case Lengths	Total Display Area (TDA) [m <sup>2</sup> ]	Volume [m <sup>3</sup> ]	Allowable Load [kg]	Net Weight [kg]
8'	3.5406	1.369	XX.X	XX.X
12'	5.3315	2.054	XX.X	XX.X

### Electrical:

Available Case Lengths	Fans		Heaters			
	Shaded Pole [W]	ECM* [W]	Anti-sweat [W]	Defrost** [W]	Drain Heater [W]	Heated Glass [W]
8'	4 x 32W	4 x 24W	5 x 16W/m x 4.88m & 2 x 7W/m x 4.88m	2 x 1600W	4 x 10W	4 x 30.80W
12'	6 x 32W	6 x 24W	5 x 16W/m x 7.3m & 2 x 7W/m x 7.3m	2 x 2400W	4 x 10W	4 x 46.20W
Glass PE	-	-	-	-	-	-

Case Lengths	Lighting (T5 HO Tubes)		Lighting (T8 Tubes)	
	Case [W]	Shelf [W]	Case [W]	Shelf [W]
8'	4 x 4' [216W]		4 x 4' [144W]	
12'	6 x 4' [324W]		6 x 4' [216W]	

\* High efficiency option.

\*\* Not used when using high efficiency set up.

**Note:** All specifications for high efficiency units are based on the use of a full high efficiency setup including high efficiency coils, electronic expansion valves and ECM fans.

### Refrigeration Requirements:

	Refrigeration [W/ft]	Evaporation Temp. [°C]
Standard	270	-32
High Efficiency		